

March 2, 2015

Cancelled by  
MPR 1410.3-DEV04  
dated January 16, 2020

AS01

TO: IS20/MSFC Management Directives Manager  
FROM: AS01/Office of Center Operations  
SUBJECT: Request for Deviation for MCP 1040.3, Continuity of Operations Plan (COOP) (MAF)

Deviation Number: MPR 1410.2-DEV09

In accordance with MPR 1410.2, 2.1.6, AS01 requests approval for deviation from MPR 1410.2, 2.4.6 and 2.7.3.

1. Define the proposed departure from the requirement(s):

Each NASA Center and Facility is required to have Continuity of Operations Plan (COOP) and is required to update this Plan annually. These Plans are marked as Sensitive But Unclassified (SBU) and must be handled accordingly. Content of the Plan is established at the Federal level by the Department of Homeland Security (DHS) and is subject to audit by the Federal Emergency Management Agency (FEMA) at any time. Our guidance for plan content is established in NPR 8715.2B, NASA Emergency Management Program Procedural Requirements, November 19, 2014, Chapter 5, NPR 1040.2 NASA Continuity Planning Procedural Requirements, NPD 1040.4B NASA Continuity of Operations, and DHS FEMA Federal Continuity Directive 1, "Federal Executive Branch Continuity Program and Requirements," October 1012.

2. Justification for the deviation (include references to any applicable nonconformance, discrepancy, or deficiency report(s)):

While the Plan does contain all of the elements required by the Marshall Center Plan template, it is ordered differently and has additional elements necessary to meet the Federal requirements for MAF's Emergency Management Plan.

3. Applicability, impacts, and conditions (if any) of deviation:

This Deviation will remain in effect until the next revision of MCP 1040.4.

4. Alternate plans to meet any ISO 9001 or AS9100 requirement:

None needed.



David Earnest  
Marshall Space Flight Center  
IS20/Center Directives Manager