

National Aeronautics and Space Administration
George C. Marshall Space Flight Center
Marshall Space Flight Center, AL 35812



October 28, 2015

Reply to Attn of:

DE01

TO: DA01/Director
THRU: IS20/Center Directives Manager *W*
FROM: DE01/Associate Director

SUBJECT: Request for Deviation from MPR 1410.2, Marshall Directives System

In accordance with MPR 1410.2, 2.1.6, DE01 requests approval for deviation from MPR 1410.2, 2.11.

1. Define the Proposed Departure from the Requirement(s):

MPR 1410.2, 2.11 requires all Center-level directives to be reviewed for validity and currency once a year by the OPRD and/or OPR. The requested deviation is to omit the 2015 Annual Directives Review.

2. Justification for the Deviation (include references to any applicable nonconformance, discrepancy, or deficiency report(s)):

The Center Directives Manager has requested to omit the 2015 Annual Directives Review scheduled for November 2015 and conduct the 2016 review in January 2016. This change will create a 14 month interval between the 2014 and 2016 reviews resulting in no review in 2015. This deviation will serve as the record and explanation of the omission of the 2015 review. Additionally, this deviation allows for the first step toward implementing the option for Annual Directives Reviews to take place over the course of each calendar year.

3. Applicability, Impacts, and Conditions (if any) of Deviation:

The requested deviation applies only to the 2015 Annual Directives Review. The 2016 Annual Directives Review will be conducted 2 months after the scheduled 2015 review. No impact is anticipated by omission of 2015 review.

4. Alternate plans to meet any ISO 9001 or AS9100 requirement:

None needed.


Robin N. Henderson

Approval:



Patrick E. Scheuermann
Director

11-2-2015
Date